

Title:

Some Computer Viruses In History

Word Count:

670

Summary:

Computer viruses generally trick hosts or other types of computers into reproducing copies of

If the virus is found in any of the PC's that PC should...

Keywords:

blackworm virus, antivirus, computer security

Article Body:

Computer viruses generally trick hosts or other types of computers into reproducing copies of

If the virus is found in any of the PC's that PC should immediately be isolated. The virus can  
Viruses and such

A Virus is defined as a program inserted into another program. It gets activated by its host p

There are two types of computer viruses 'parasitic' and 'boot' virus.

A Parasitic virus attaches itself to other programs and is activated when the host program is

A Boot virus is designed to enter the boot sector of a floppy disc. It works by replacing the  
Some Reported Viruses

C-Brain: Amjad and Basit, two pakistani brothers, developed this software in January 1986 to d

Macmag: This virus attacked Apple Macintosh computers only. Not much damage is reported becaus

Cascade: This virus attacked IBM PCs and compatibles. The letters on the screen could be seen

Jerusalem: Found in 1987 at Hebrew University, Jerusalem, this virus was designed to activate

Daracrime/Columbus or October the 13th virus: This virus is similar to Jerusalem and was progr

Bomb: This is also know as 'Logic Bomb' and 'Time Bomb'. An event triggered routine in a progr

This is a demo version of txt2pdf v.10.1

Developed by SANFACE Software <http://www.sanface.com/>

Available at <http://www.sanface.com/txt2pdf.html>